

Delivery Program

Product Category:	Torque
Model:	1700 Series
Order Code(s):	1701, 1702, 1703, 1706

USE THE CHART BELOW TO DETERMINE LEAD TIMES¹

The range or option code with the longest lead time dictates the shipping time. Categories shaded in grey are required selections. For example (reference only):

If you build this:	The order configuration is this:	The delivery class is:
1701 + 0 to 0.2 NM torque range (0.2NM)	1701 – 0.2NM	Fast track manufacture, ships within four weeks
1702 + 0 to 20 NM torque range (20NM)	1702 – 20NM	Build-to-order, call Honeywell for lead time

1700 Series non contact amplified output torque transducer

	Quick-ship (Ships in 1-5 days)	Fast track manufacture (Ships within 4 weeks)	Build-to-order (Call Honeywell 1-800-848-6564 or +1 614-850-5000)
Torque ranges		Model 1701-0.2NM: 0 to 0.2 NM Model 1701-1NM: 0 to 1 NM Model 1702-5NM: 0 to 5 NM Model 1702-10NM: 0 to 10 NM Model 1702-20NM(E): 0 to 20 NM Model 1703-50NM: 0 to 50 NM Model 1703-100NM: 0 to 100 NM Model 1703-200NM: 0 to 200 NM	Model 1701-0.1NM: 0 to 0.1 NM Model 1701-0.5NM: 0 to 0.5 NM Model 1701-2NM: 0 to 2 NM Model 1702-20NM: 0 to 20 NM Model 1703-300NM: 0 to 300 NM Model 1706-500NM: 0 to 500 NM Model 1706-1000NM: 0 to 1,000 NM Model 1706-1500NM: 0 to 1,500 NM

¹ LEAD/SHIPPING TIMES ARE APPROXIMATIONS AND MAY VARY DEPENDING ON PRODUCT AVAILABILITY AND OTHER FACTORS. IN NO EVENT SHALL HONEYWELL BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, EXEMPLARY, OR PUNITIVE DAMAGES, EVEN WHERE HONEYWELL HAS BEEN ADVISED OF, OR IS OTHERWISE AWARE OF, THE POSSIBILITY OF SUCH DAMAGES, FOR FAILURE TO MEET SUCH LEAD / SHIPPING TIMES.

Options: for special options, consult factory.

Accessories offered: mating connectors/cable assembly, speed or encoder

Note: Before selecting option/s, please refer to the Test and Measurement catalog or product data sheet for special application notes and compatibility. A catalog can be ordered on-line at <https://home.honeywell-online.com/newTMcatalog>. Product data sheets are available on Honeywell's web site at <http://content.honeywell.com/sensing/sensotec/catpages.asp>.